



**SAFETY DATA SHEET**  
**Mr Valet Bath and WC Cleaning Wipes**  
 Commission Regulation (EU) No 2015/830 of 28 May 2015.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** Mr Valet Bath and WC Cleaning Wipes

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Optical cleaning wipes.

**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

<b>Supplier</b>	SAPRO TEMIZLIK URUNLERI SAN. VE TIC. A.Ş. Ortakoy Merkez Mahallesi Ilter Bulvari No:27 Silivri Istanbul Turkey Tel:+90 212 734 3808 Fax:+90 212 734 3836 info@sapro.com.tr	<b>Manufacturer</b>	SAPRO EUROPE BV Beechavenue 54, 1119PW Schiphol-Rijk Amsterdam /NETHERLANDS +31 206586100
-----------------	---	---------------------	---

**1.4. Emergency telephone number**

**Emergency telephone** SAPRO : +90212 734 3808 (7/24 )

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Flam. Liq. 3 - H226

**Health hazards** Not Classified

**Environmental hazards** Not Classified

**2.2. Label elements**

**Hazard pictograms**



**Signal word** Warning

**Hazard statements** H226 Flammable liquid and vapour.

**Precautionary statements** P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.  
 P403+P235 Store in a well-ventilated place. Keep cool.  
 P501 Dispose of contents/ container in accordance with national regulations.

## Mr Valet Bath and WC Cleaning Wipes

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>Ethanol</b>	<b>25-40%</b>
----------------	---------------

CAS number: 64-17-5	EC number: 200-578-6
---------------------	----------------------

#### Classification

Flam. Liq. 2 - H225

<b>Sodium Lauryl Sulfate</b>	<b>1-5%</b>
------------------------------	-------------

CAS number: 151-21-3	EC number: 205-788-1
----------------------	----------------------

Specific Concentration Limits - Sodium dodecyl sulphate: Eye Dam. 1 - H318: C $\geq$ 20%, Eye Irrit. 2 - H319: 10% $\leq$  C <20

#### Classification

Acute Tox. 4 - H302

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Aquatic Chronic 3 - H412

<b>propan-2-ol (Isopropyl alcohol)</b>	<b>1-5%</b>
--	-------------

CAS number: 67-63-0	EC number: 200-661-7
---------------------	----------------------

#### Classification

Flam. Liq. 2 - H225

Eye Irrit. 2 - H319

STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
<b>Skin contact</b>	Rinse with water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
----------------------------	---

## Mr Valet Bath and WC Cleaning Wipes

<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	No specific symptoms known.
<b>Eye contact</b>	May be slightly irritating to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** None known.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of carbon.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

## Mr Valet Bath and WC Cleaning Wipes

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Keep out of the reach of children. Read and follow manufacturer's recommendations. Avoid contact with eyes. Do not eat, drink or smoke when using this product. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle broken packages without protective equipment.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight.

**Storage class** Chemical storage.

#### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

##### **Ethanol**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

##### **propan-2-ol (Isopropyl alcohol)**

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

##### Ethanol (CAS: 64-17-5)

<b>DNEL</b>	Workers - Inhalation; : 1900 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 343 mg/kg/day Workers - Inhalation; Long term systemic effects: 950 mg/m <sup>3</sup> General population - Inhalation; : 950 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 206 mg/kg/day General population - Inhalation; Long term systemic effects: 114 mg/m <sup>3</sup> General population - Oral; Long term systemic effects: 87 mg/kg/day
<b>PNEC</b>	- Fresh water; 0,96 mg/l - marine water; 0,79 mg/l - Intermittent release; 2,75 mg/l - Sediment (Freshwater); 3,6 mg/kg - Sediment (Marinewater); 2,9 mg/kg

##### propan-2-ol (Isopropyl alcohol) (CAS: 67-63-0)

<b>DNEL</b>	Workers - Dermal; Long term systemic effects: 888 mg/kg/day Workers - Inhalation; Long term systemic effects: 500 mg/m <sup>3</sup> General population - Oral; Long term systemic effects: 26 mg/kg/day General population - Dermal; Long term systemic effects: 319 mg/kg/day General population - Inhalation; Long term systemic effects: 89 mg/m <sup>3</sup>
-------------	--

## Mr Valet Bath and WC Cleaning Wipes

### PNEC

Fresh water; 140.9 mg/l  
 marine water; 140.9 mg/l  
 Sediment (Marinewater); 552 mg/kg  
 Sediment (Freshwater); 552 mg/kg  
 Soil; 28 mg/kg  
 STP; 2251 mg/l  
 Intermittent release; 140,9 mg/l  
 Oral; 160 g/kg

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

#### Eye/face protection

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

#### Hand protection

No specific hand protection recommended.

#### Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

#### Hygiene measures

Wash hands thoroughly after handling. Wash at the end of each work shift and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

#### Respiratory protection

No specific requirements are anticipated under normal conditions of use. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.

#### Environmental exposure controls

Keep container tightly sealed when not in use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid-impregnated wipe.
Colour	Clear. White.
Odour	Perfume.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	> 23 - <60°C
Vapour pressure	No information available.
Relative density	No information available.
Solubility(ies)	Soluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	No information available.

## Mr Valet Bath and WC Cleaning Wipes

**Explosive properties** No information available.

**Oxidising properties** No information available.

### 9.2. Other information

**Other information** No information required.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** The following materials may react strongly with the product: Oxidising agents.

### 10.4. Conditions to avoid

**Conditions to avoid** Avoid exposure to high temperatures or direct sunlight.

### 10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 60,000.0

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Skin corrosion/irritation

**Skin corrosion/irritation** Based on available data the classification criteria are not met.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

#### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

#### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

#### Germ cell mutagenicity

## Mr Valet Bath and WC Cleaning Wipes

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

### Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

**Reproductive toxicity - development** Based on available data the classification criteria are not met.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Not classified as a specific target organ toxicant after repeated exposure.

### Aspiration hazard

**Aspiration hazard** Not relevant. Solid.

**General information** The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** No specific symptoms known.

**Skin contact** Prolonged contact may cause dryness of the skin.

**Eye contact** May cause temporary eye irritation.

### Toxicological information on ingredients.

#### Ethanol

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** LD<sub>50</sub> 6200 mg/kg, Oral, Rat

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** LD<sub>50</sub> 7060 mg/kg, Dermal, Rabbit

##### Acute toxicity - inhalation

**Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l)** 30,000.0

**Notes (inhalation LC<sub>50</sub>)** LC<sub>50</sub> 124,7 mg/l, Inhalation, Rat

**ATE inhalation (dusts/mists mg/l)** 30,000.0

#### Sodium Lauryl Sulfate

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 1,200.0

**Species** Rat

**ATE oral (mg/kg)** 1,200.0

## Mr Valet Bath and WC Cleaning Wipes

### propan-2-ol (Isopropyl alcohol)

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>) LD<sub>50</sub> 5280 mg/kg, Oral, Rat

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) LD<sub>50</sub> 12800 mg/kg, Dermal, Rabbit

#### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LC<sub>50</sub> 72.6 mg/l, Inhalation, Rat

#### Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

### SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

#### 12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

#### Ecological information on ingredients.

#### Ethanol

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 24 hours: 11200 mg/l, Oncorhynchus mykiss (Rainbow trout)  
LC<sub>50</sub>, 96 hour: 13.000 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 5012 mg/l, Ceriodaphnia dubia  
EC<sub>50</sub>, 48 hour: 9.300 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** EC<sub>50</sub>, 72 hours: 275 mg/l, Chlorella pyrenoidosa  
EC<sub>50</sub>, 72 hour: 5.000 mg/l, Algae

**Acute toxicity - microorganisms** EC<sub>50</sub>, 4 hours: 5,8 g/l, Paramecium caudatum

**Acute toxicity - terrestrial** LC<sub>50</sub>, 48 hours: 0,1-1 mg/cm<sup>2</sup>, Eisenia Fetida (Earthworm)

### propan-2-ol (Isopropyl alcohol)

#### Acute aquatic toxicity

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 11130 mg/l, Pimephales promelas (Fat-head Minnow)  
LC<sub>50</sub>, 96 hours: 9640 mg/l, Pimephales promelas (Fat-head Minnow)  
LC<sub>50</sub>, 96 hours: > 1400000 ug/L, Lepomis macrochirus (Bluegill)  
LC<sub>50</sub>, 96 hour: 4.200 mg/l, Fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 48 hours: 13299 mg/l, Daphnia magna  
EC<sub>50</sub>, 72 hour: 1000 mg/l, Scenedesmus subspicatus

**Acute toxicity - aquatic plants** IC<sub>50</sub>, 72 hours: >1000 mg/l, Desmodesmus subspicatus  
IC<sub>50</sub>, 96 hour: 1.000 mg/l, Algae

**Acute toxicity - microorganisms** EC<sub>10</sub>, 16 hour: 5.175 mg/l, Bacteria



## Mr Valet Bath and WC Cleaning Wipes

### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

#### Ecological information on ingredients.

##### Ethanol

**Persistence and degradability** The substance is readily biodegradable.

##### propan-2-ol (Isopropyl alcohol)

**Biodegradation** - 78 %: 28 day  
**Biological oxygen demand** 1,19 g O<sub>2</sub>/g substance  
**Chemical oxygen demand** 2,23 g O<sub>2</sub>/g substance

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

#### Ecological information on ingredients.

##### Ethanol

**Partition coefficient** log Kow: -0,31

##### Sodium Lauryl Sulfate

**Partition coefficient** log Pow: -2.03 Low potential.

##### propan-2-ol (Isopropyl alcohol)

**Partition coefficient** log Pow: 0.05

**Bioconcentration factor (BCF)** 3

### 12.4. Mobility in soil

**Mobility** The product is water-soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## Mr Valet Bath and WC Cleaning Wipes

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods** Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

### SECTION 14: Transport information

#### 14.1. UN number

UN No. (ADR/RID)	3175
UN No. (IMDG)	3175
UN No. (ICAO)	3175
UN No. (ADN)	3175

#### 14.2. UN proper shipping name

Proper shipping name (ADR/RID)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(ETHANOL)
Proper shipping name (IMDG)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(ETHANOL)
Proper shipping name (ICAO)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(ETHANOL)
Proper shipping name (ADN)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.(ETHANOL)

#### 14.3. Transport hazard class(es)

ADR/RID class	4.1
ADR/RID classification code	F1
ADR/RID label	4.1
IMDG class	4.1
ICAO class/division	4.1
ADN class	4.1

#### Transport labels



#### 14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II
ADN packing group	II

## Mr Valet Bath and WC Cleaning Wipes

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

### 14.6. Special precautions for user

EmS	F-A, S-I
ADR transport category	2
Emergency Action Code	1Z
Hazard Identification Number (ADR/RID)	40
Tunnel restriction code	(E)

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
----------------------	--

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## Mr Valet Bath and WC Cleaning Wipes

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>IATA: International Air Transport Association.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>CAS: Chemical Abstracts Service.</p> <p>DNEL: Derived No Effect Level.</p> <p>Kow: Octanol-water partition coefficient.</p> <p>LC<sub>50</sub>: Lethal Concentration to 50 % of a test population.</p> <p>LD<sub>50</sub>: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>EC<sub>50</sub>: 50% of maximal Effective Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>PNEC: Predicted No Effect Concentration.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>IARC: International Agency for Research on Cancer.</p>
<b>Classification abbreviations and acronyms</b>	Flam. Liq. = Flammable liquid
<b>Key literature references and sources for data</b>	This SDS is prepared based on the information received from the product owner. Source: European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a>
<b>Classification procedures according to Regulation (EC) 1272/2008</b>	Flam. Liq. 3 - H226: : Expert judgement.
<b>Training advice</b>	This SDS is prepared based on the information and documents received from product owner. CRAD or/and SDS author shall not be responsible for incorrect prepared of SDS and pecuniary loss or intangible damages because of deficient or wrong information and documents which comes from product owner.
<b>Revision comments</b>	The SDS is prepared scope of current regulation.
<b>Issued by</b>	Büşra TARAKCI / CRAD gbf@crad.com.tr Tel+90 216 3354600
<b>Revision date</b>	28/05/2020
<b>Revision</b>	1.0
<b>Supersedes date</b>	28/05/2020
<b>SDS number</b>	9684
<b>Hazard statements in full</b>	<p>H225 Highly flammable liquid and vapour.</p> <p>H226 Flammable liquid and vapour.</p> <p>H302 Harmful if swallowed.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>